_
•

TABLE 1-continued									
Str. Pt (° C.) Ann. Pt. (° C.) Soft. Pt. (° C.) 110 BHF (mg/cm²) Liq. Temp. (° C.) Liq. Visc. (p) Melt. Temp. (° C.)	675 730 984 1100 1.06E + 06 1655	669 725 978 0.16 1140 2.40E + 05	670 727 996 0.3 1165 2.88E + 05 1682	672 728 988 0.39 1160 2.49E + 05 1656	670 727 989 0.18 1140 4.29E + 05 1668	664 720 984 0.17 1150 2.80E + 05 1653	671 727 989 0.19 1150 3.11E + 05 1656	677 732 979 0.19 1150 2.14E + 05 1620	659 713 967 0.23 1120 3.07E + 05 1611
	Composition Batched (mol %)		28	29	30	31	32	Comp Ex	
		SiO ₂ Al ₂ O ₃ B ₂ O ₃			70.4 10.2 9.1	69.8 10.6 9	71 9.9 10	72 9.33 10	67.6 11.4 8.5 1.3
		MgO CaO SrO BaO As ₂ O ₃		9	5.68 4.55	7.14 3.42	9.1	8.66	5.2 1.3 4.3 0.4
		Sb ₂ O ₃ CeO ₂ Y ₂ O ₃ SnO ₂ Cl		0.3	0.3	0.3	0.3	0.3	0.4
		RO/Al ₂ O ₃ CTE (0–3 10 ⁻⁷ /° C.)	600° C., ×	0.90 32.0	1.00 34.4	1.00 34.4	0.92 32.1	0.93 31.2	1.03 37.8
		Dens. (g/c Str. Pt (° c Ann. Pt. (Soft. Pt. (110 BHF	cm ³) C.) (° C.) (° C.)	2.355 673 731 999 0.18	2.420 669 727 987	2.406 672 729 984	2.353 669 726 998	2.342 672 730 1012	2.54 666 721 975 0.2
		Liq. Temp Liq. Visc. Melt. Tem	o. (° C.) (p)	1130 5.99E + 05 1670	1130 5.67E + 05 1671	1135 4.38E + 05 1657	1120 8.46E + 05 1685	1125 8.79E + 05 1703	1050 2.97E + 06 1636

+T2 TABLE 1+HZ,1/64

!+TL,1 Composition? +TC,10 ? +TC,16 ? +TC,22 ? +TC,28 ? +TC,34 ? +TC,40 ? +TC,46 ? +TC,52 ? +TC,58 ?

!Batched (mol %)? 1? 2? 3? 4? 5? 6? 7? 8? 9+TZ,1/64 ?

!SiO+HD 2? +TA 69.75? +TA 69.78? +TA 69.75? +TA 69.8? +TA 70.7 ? +TA 70.57? +TA 69.1? +TA 70.85? +TA 69.1?

!Al+HD 2+L O+HD 3? 10.2? 10.2? 10.3? 10.3? 10? 9.77? 10.35? 9.5? 10.35?

!B+HD 2+L O+HD 3? 9.7? 9.7? 9.5? 9.5? 10? 9.95? 10.25? 10.1? 10.25?

!MgO? 0.8? 0.8? 0.8? 0.8? ? 0.12? 0.15? 1.25? 0.15?

!CaO? 7? 7? 8.5? 8.5? 9? 9.17? 9.8? 6.7? 9.3?

!Sro? 2.2? 2.2? 0.8? 0.8? ? ? ? 1.3? 0.5?

!Ba0?

!As+HD 2+L O+HD 3? ? 0.3? ? 0.3? ? 0.4? 0.33? ? 0.33?

!Sb+HD 2+L O+HD 3? 0.3? ? 0.3? ? 0.3? ? 0.1?

!CeO+HD 2? ? ? ? ? ? ? 0.2?

!Y+HD 2+L O+HD 3?

!SnO+HD 2? 0.05? 0.02? 0.05? ? 0.05? 0.02? 0.02? ? 0.02?

!C1? 0.2? 0? 0.2? ? 0.2? ? ? 0.2?

!RO/Al+HD 2+L O+HD 3? 0.98? 0.98? 0.98? 0.98? 0.90? 0.95? 0.96? 0.98? 0.96?

```
DA: data50 —— MD: 8/5/2002 —— N: 5,631,966 —— F: 02 —— 8/19/2002 - 7:35:52 AM
!CTE (0+14 300+20 +0 C., +33 ? 32.7? 31.2? 31.9? 30.8? 30.5? 30.2? 31.5? 31.4? 32.2?
!10+HU +31 7+L /+20 +0 C.)?
!Dens. (q/cm+HU 3+L )? 2.416? 2.404? 2.394? 2.38? 2.37? 2.355? 2.375? 2.367? 2.377?
!Str. Pt (+20 +0 C.)? 672? 674? 673? 679? 671? 666? 673? 664? 671?
!Ann. Pt. (+20 +0 C.)? 727? 731? 729? 734? 728? 729? 729? 720? 727?
!Soft. Pt. (+20 +0 C.)? 984? 991? 991? 995? 1001? 1001? 976? 992? 983?
!110 BHF (mg/cm+HU 2+L )? 0.15? 0.14? 0.145? 0.135? 0.14? 0.15? 0.18? 0.27? 0.15?
!Liq. Temp. (+20 +0 C.)? 1125? 1120? 1125? 1150? 1135? 1115? 1140? 1095?
!Lig. Visc. (p)? +TC 5.04E +30 +0 05? +TC 7.06E +30 +0 05? +TC 6.34E +30 +0 05? +TC 6.30E
+30 +0 05? +TC 3.66E +30 +0 05? +TC 5.95E +30 +0 05? +TC 5.30E +30 +0 05? +TC 4.77E +30
+0 05? +TC 1.05E +30 +0 06?
!Melt. Temp. (+20 +0 C.)? +TA 1659? +TA 1668? +TA 1650? +TA 1659? +TA 1668? +TA 1680?
+TA 1635? +TA 1686? +TA 1649+TZ,1/64 ?
!+TL,1 Composition? +TC,10 ? +TC,16 ? +TC,22 ? +TC,28 ? +TC,34 ? +TC,40 ? +TC,46 ? +TC,52
? +TC.58 ?
!Batched (mol %)? 10? 11? 12? 13? 14? 15? 16? 17? 18+TZ,1/64 ?
!SiO+HD 2? +TA 69.65? +TA 68.75? +TA 69.1? +TA 68.8? +TA 69.33? +TA 69.65? +TA 70.05?
+TA 69.33? +TA 69.45?
!Al+HD 2+L O+HD 3? 10.1? 10.55? 10.2? 10.35? 10.55? 10.2? 9.9? 10.55? 11?
!B+HD 2+L O+HD 3? 10.25? 10.25? 10.55? 10.55? 9.97? 10.25? 10.25? 9.97? 9?
!MgO? 0.15? 0.15? 0.15? 0.15? 0.18? 0.15? 0.15? 0.18?
!CaO? 9.45? 9.9? 9.65? 9.8? 9.08? 8.85? 9.25? 9.58? 10?
!SrO? ? ? ? 0.5? 0.5?
!Ba0?
!As+HD 2+L O+HD 3? 0.4? 0.4? 0.33? 0.33? 0.37? 0.4? 0.4? 0.37?
!Sb+HD 2+L O+HD 3? ? ? ? ? ? ? ? ? 0.3?
!CeO+HD 2? ? ?
!Y+HD 2+L O+HD 3?
!SnO+HD 2? 0.02? 0.02? 0.02? 0.02? 0.02? 0.02? 0.02? 0.02? 0.05?
!Cl? ? ? ? ? ? ? ? ? 0.2?
!RO/Al+HD 2+L O+HD 3? 0.95? 0.95? 0.96? 0.96? 0.93? 0.93? 0.95? 0.93? 0.91?
!CTE (0+14 300+20 +0 C., +33 ? 31.4? 31.8? 32? 31.8? 31.5? 30.9? 30.8? 31.4? 32?
!10+HU +31 7+L /+20 +0 C.)?
!Dens. (g/cm+HU 3+L )? 2.366? 2.371? 2.364? 2.366? 2.376? 2.369? 2.357? 2.366? 2.386?
!Str. Pt (+20 +0 C.)? 669? 674? 666? 667? 676? 671? 668? 674? 681?
!Ann. Pt. (+20 +0 C.)? 725? 729? 722? 723? 731? 728? 726? 730? 737?
!Soft. Pt. (+20 +0 C.)? 985? 986? 980? 980? 985? 987? 992? 987? 993?
!110 BHF (mg/cm+HU 2+L )? ? ? ? 0.12? 0.12?
```

```
DA: data50 — MD: 8/5/2002 — N: 5,631,966 — F: 02 — 8/19/2002 - 7:35:52 AM
!Liq. Temp. (+20 +0 C.)? 1090? 1100? 1090? 1115? 1095? 1100? 1100? 1120? 1150?
!Liq. Visc. (p)? +TC 1.23E +30 +0 06? +TC 9.19E +30 +0 05? +TC 1.07E +30 +0 06? +TC 5.74E
+30 +0 05? +TC 1.19E +30 +0 06? +TC 1.04E +30 +0 06? +TC 1.12E +30 +0 06? +TC 6.23E +30
+0 05? +TC 2.90E +30 +0 05?
!Melt Temp. (+20 +0 C.)? +TA 1654? +TA 1650? +TA 1642? +TA 1650? +TA 1651? +TA 1657? +TA
1674? +TA 1654? +TA 1642+TZ,1/64 ?
!+TL,1 Composition? +TC,10 ? +TC,16 ? +TC,22 ? +TC,28 ? +TC,34 ? +TC,40 ? +TC,46 ? +TC,52
? +TC,58 ?
!Batched (mol %)? 19? 20? 21? 22? 23? 24? 25? 26? 27+TZ,1/64 ?
!SiO+HD 2? +TA 69.33? +TA 68.3? +TA 70.45? +TA 70? +TA 70.4? +TA 70.1? +TA 70? +TA 68.3?
+TA 68?
!Al+HD 2+L O+HD 3? 10.55? 10.9? 9.85? 10.35? 10.05? 10? 10.23? 10.9? 10.5?
!B+HD 2+L O+HD 3? 9.97? 10.4? 9.55? 9.5? 9.69? 10.15? 9.75? 10.4? 11?
!MgO? 0.18? ? 1.1? 0.8? 0.82? 0.81? 0.8?
!CaO? 9.08? 9.1? 5.75? 8.5? 7.14? 7.11? 7? 9.1? 10.5?
!SrO? 0.5? 1? 2.9? 0.85? 1.89? 1.88? 2.22? 1.0?
!Ba0?
!As+HD 2+L O+HD 3? ? ? 0.4? ? ? ? ? 0.3?
!Sb+HD 2+L O+HD 3? 0.37? 0.3? ? ? ? ? ? ? 0.3?
!CeO+HD 2? ? ? 0.2? 0.2? 0.2? 0.2?
!Y+HD 2+L O+HD 3?
!SnO+HD 2? 0.02? 0.05? ? ? ? ? ? 0.05?
!Cl? ? 0.2?
!RO/Al+HD 2+L O+HD 3? 0.93? 0.93? 0.99? 0.98? 0.98? 0.98? 0.98? 0.93? 1.00?
!CTE (0+14 300+20 +0 C., +33 ? 31.9? 34.8? 33.4? 32.8? 33.5? 32.9? 33.4? 34.5? 34.9?
!10+HU +31 7+L /+20 +0 C.)?
!Dens. (g/cm+HU 3+L)? 2.383? 2.403? 2.405? 2.378? 2.378? 2.374? 2.391? 2.392? 2.378?
!Str. Pt (+20 +0 C.)? 675? 669? 670? 672? 670? 664? 671? 677? 659?
!Ann. Pt. (+20 +0 C.)? 730? 725? 727? 728? 727? 720? 727? 732? 713?
!Soft. Pt. (+20 +0 C.)? 984? 978? 996? 988? 989? 984? 989? 979? 967?
!110 BHF (mg/cm+HU 2+L )? ? 0.16? 0.3? 0.39? 0.18? 0.17? 0.19? 0.19? 0.23?
!Liq. Temp. (+20 +0 C.)? 1100? 1140? 1165? 1160? 1140? 1150? 1150? 1150? 1120?
!Liq. Visc. (p)? +TC 1.06E +30 +0 06? +TC 2.40E +30 +0 05? +TC 2.88E +30 +0 05? +TC 2.49E
+30 +0 05? +TC 4.29E +30 +0 05? +TC 2.80E +30 +0 05? +TC 3.11E +30 +0 05? +TC 2.14E +30
+0 05? +TC 3.07E +30 +0 05?
!Melt. Temp. (+20 +0 C.)? +TA 1655? +TA 1617? +TA 1682? +TA 1656? +TA 1668? +TA 1653?
+TA 1656? +TA 1620? +TA 1611+TZ,1/64 ?
```

!+TL,19 Composition? +TC,28 ? +TC,34 ? +TC,40 ? +TC,46 ? +TC,52 ? +TC,58 ?

```
DA: data50 —— MD: 8/5/2002 —— N: 5,631,966 —— F: 02 —— 8/19/2002 - 7:35:52 AM
!Batched (mol %)? 28? 29? 30? 31? 32? Comp Ex+TZ,1/64 ?
!SiO+HD 2? +TA 70? +TA 70.4? +TA 69.8? +TA 71? +TA 72? +TA 67.6?
!Al+HD 2+L O+HD 3? 10? 10.2? 10.6? 9.9? 9.33? 11.4?
!B+HD 2+L O+HD 3? 10? 9.1? 9? 10? 10? 8.5?
!MgO? ? ? ? ? 1.3?
!CaO? 9? 5.68? 7.14? 9.1? 8.66? 5.2?
!Sro? ? 4.55? 3.42? ? ? 1.3?
!BaO? ? ? ? ? 4.3?
!As+HD 2+L O+HD 3? ? ? ? ? ? 0.4?
!Sb+HD 2+L O+HD 3? 0.3? 0.3? 0.3? 0.3? 0.3?
!CeO+HD 2?
!Y+HD 2+L O+HD 3?
!SnO+HD 2?
!C1?
!RO/Al+HD 2+L O+HD 3? 0.90? 1.00? 1.00? 0.92? 0.93? 1.03?
!CTE (0+14 300+20 +0 C., +33 ? 32.0? 34.4? 34.4? 32.1? 31.2? 37.8?
!10+HU +31 7+L /+20 +0 C.)?
!Dens. (g/cm+HU 3+L )? 2.355? 2.420? 2.406? 2.353? 2.342? 2.54?
!Str. Pt (+20 +0 C.)? 673? 669? 672? 669? 672? 666?
!Ann. Pt. (+20 +0 C.)? 731? 727? 729? 726? 730? 721?
!Soft. Pt. (+20 +0 C.)? 999? 987? 984? 998? 1012? 975?
!110 BHF (mg/cm+HU 2+L )? 0.18? ? ? ? ? 0.2?
!Lig. Temp. (+20 +0 C.)? 1130? 1130? 1135? 1120? 1125? 1050?
!Liq. Visc. (p)? +TC 5.99E +30 +0 05? +TC 5.67E +30 +0 05? +TC 4.38E +30 +0 05? +TC 8.46E
+30 +0 05? +TC 8.79E +30 +0 05? +TC 2.97E +30 +0 06?
!Melt. Temp. (+20 +0 C.)? +TA 1670? +TA 1671? +TA 1657? +TA 1685? +TA 1703? +TA
```

Item character count = 4417

1636+TZ,1/64 ?

!+PS

Folder character count = 4417

1

CWU Table Item #: 0111 (2 columns)

		_	_
ТΔ	RI	F	1

				TABLE	. 1				
Composition Batched (mol %)	1	2	3	4	5	6	7	8	9
SiO ₂	69.75	69.78	69.75	69.8	7 0.7	70.57	69.1	70.85	69.1
Al_2O_3	10.2	10.2	10.3	10.3	10	9.77	10.35	9.5	10.35
B_2O_3	9.7	9.7	9.5	9.5	10	9.95	10.25	10.1	10.25
MgO	0.8	0.8	0.8	0.8		0.12	0.15	1.25	0.15
CaO	7 -	7	8.5	8.5	9	9.17	9.8	6.7	9.3
SrO	2.2	2.2	0.8	0.8				1.3	0.5
BaO									
As_2O_3		0.3		0.3		0.4	0.33		0.33
Sb_2O_3	0.3		0.3		0.3			0.1	
CeO ₂								0.2	
$Y_{2}O_{3}$									
SnO ₂	0.05	0.02	0.05		0.05	0.02	0.02		0.02
Cl	0.2	0	0.2		0.2			0.2	
RO/Al ₂ O ₃	0.98	0.98	0.98	0.98	0.90	0.95	0.96	0.98	0.96
CTE (0-300° C., ×	32.7	31.2	31.9	30.8	30.5	30.2	31.5	31.4	32.2
10 ⁻⁷ /° C.)									
Dens. (g/cm ³)	2.416	2.404	2.394	2.38	2.37	2.355	2.375	2.367	2.377
Str. Pt (° C.)	672	674	673	679	671	666	673	664	671
Ann. Pt. (° C.)	727	731	729	734	728	729	729	720	727
Soft. Pt. (° C.)	984	991	991	995	1001	1001	976	992	983
110 BHF (mg/cm ²)	0.15	0.14	0.145	0.135	0.14	0.15	0.18	0.27	0.15
Liq. Temp. (° C.)	1125	1120	1120	1125	1150	1135	1115	1140	1095
Liq. Visc. (p)	5.04E + 05	7.06E + 05	6.34E + 05	6.30E + 05	3.66E + 05	5.95E + 05	5.30E + 05	4.77E + 05	1.05E + 0
Melt. Temp. (° C.)	1659	1668	1650	1659	1668	1680	1635	1686	1649
Composition Batched (mol %)	10	11	12	13	14	15	16	17	18
SiO ₂	69.65	68.75	69.1	68.8	69.33	69.65	70.05	69.33	69.45
Al_2O_3	10.1	10.55	10.2	10.35	10.55	10.2	9.9	10.55	11
B_2O_3	10.25	10.25	10.55	10.55	9.97	10.25	10.25	9.97	9
MgO	0.15	0.15	0.15	0.15	0.18	0.15	0.15	0.18	,
CaO	9.45	9.9	9.65	9.8	9.08	8.85	9.25	9.58	10
SrO	7.43	7.7	7.05	2.0	0.5	0.5	7.23	7.50	
BaO					0.5	0.5			
As ₂ O ₃	0.4	0.4	0.33	0.33	0.37	0.4	0.4	0.37	
Sb ₂ O ₃	0.1	0.1	0.55	0.55	0.57	0. 1	0.1	0.57	0.3
CeO ₂									
Y ₂ O ₃	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.05
SnO ₂	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03
CI PO/ALO	0.95	0.95	0.96	0.96	0.93	0.93	0.95	0.93	0.2
RO/Al ₂ O ₃ CTE (0300° C., ×	31.4	31.8	32	31.8	31.5	30.9	30.8	31.4	32
10 ⁻⁷ /° C.)	31.4	31.6	32	31.6	31.3	30.9	30.8	31.4	32
	2 266	2.371	2.364	2.366	2.376	2.369	2.357	2.366	2.386
Dens. (g/cm ³)	2.366	674		667	676	671	668	674	681
Str. Pt (° C.)	669	729	666 722	723	731	728	726	730	737
Ann. Pt. (° C.)	725								993
Soft. Pt. (° C.)	985	986	980	980	985 0.12	987 0.12	992	987	333
110 BHF (mg/cm ²)	1000	1100	1000	1116	1095	1100	1100	1120	1150
Liq. Temp. (° C.)	1090	1100	1090 1.07E + 06	1115 5.74E + 05	1.19E + 06	1.04E + 06	1100 1.12E + 06	6.23E + 05	2.90E + 0
Liq. Visc. (p) Melt Temp. (° C.)	1.23E + 06 1654	9.19E + 05 1650	1642	1650	1651	1657	1674	1654	1642
Composition Batched (mol %)	19	20	21	22	23	24	25	26	27
SiO ₂	69.33	68.3	70.45	70	70.4	70.1	70	68.3	68
Al ₂ O ₃	10.55	10.9	9.85	10.35	10.05	10	10.23	10.9	10.5
B_2O_3	9.97	10.4	9.55	9.5	9.69	10.15	9.75	10.4	11
MgO	0.18		1.1	0.8	0.82	0.81	0.8	•	
CaO	9.08	9.1	5.75	8.5	7.14	7.11	7	9.1	10.5
SrO	0.5	1	2.9	0.85	1.89	1.88	2.22	1.0	
BaO								0.3	
As ₂ O ₃	± -		0.4					0.3	
Sb ₂ O ₃	0.37	0.3		<u>.</u> .					0.3
CeO ₂				0.2	0.2	0.2	0.2		
Y_2O_3									
	0.02	0.05						0.05	
	0.02	0.03							
SnO ₂	0.02								
SnO ₂ Cl		0.2	0.99	0.98	0.98	0.98	0.98	0.93	1.00
SnO ₂	0.93 31.9		0.99 33.4	0.98 32.8	0.98 33.5	0.98 32.9	0.98 33.4	0.93 34.5	1.00 34.9